

Serial No. 10/786,139
Attorney Docket No. NVL 3289
Customer No. 35391

RECEIVED
CENTRAL FAX CENTER
APR 12 2006

Reply to Office Action Dated February 7, 2006
Reply Dated April 12, 2006

CERTIFICATE OF MAILING OR FACSIMILE TRANSMISSION UNDER 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is
being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to
the Commissioner for Patents address below.

X being transmitted via facsimile to (571) 273-8300 at the U.S. Patent and Trademark Office to the Attention of Examiner
Victor D. Batson.

Andrew Romero
Andrew Romero

April 12, 2006
Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:

Applicant: Christopher J. Wanner

Art Unit: 3671

Serial No: 10/786,139

Examiner: Victor D. Batson

Filing Date: 02/26/2004

Confirmation No: 3482

Title: **MINE SIFTING ATTACHMENT HAVING TRANSVERSE BLADES**

Mail Stop AF: Expedited Procedure
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**Mail Stop AF
EXPEDITED
PROCEDURE**

REPLY TO OFFICE ACTION DATED FEBRUARY 7, 2006

Dear Sir

Favorable reconsideration of the above-identified application is respectfully requested in view of the following amendments and comments. It is believed that the amendments contained herein raise no new issues, do not require an additional search and place the application in a better condition for allowance and/or appeal. Accordingly, entry of the amendment is considered proper.

Amendments in the Drawings begin on page 3 of this paper and include two attached replacement sheets.

Amendments in the Specification begin on page 4 of this paper.

Serial No. 10/786,139
Attorney Docket No. NVL 3289
Customer No. 35391

Reply to Office Action Dated February 7, 2006
Reply Dated April 12, 2006

Amendments in the Claims are reflected in the listing of claims that begins on page 6 of this paper.

Remarks begin on page 10 of this paper.